BY Exidy

SERVICE MANUAL

WARRANTY

EXIDY warrants all TV monitors and moving mechanical parts for a period of 90 days from date of purchase.

All printed circuit boards are warranted for a period of one full year from date of purchase.

Any questions regarding part replacement or service on failed parts will be dealt with on an individual basis.


Please contact your local EXIDY distributor for service. Our distributors are authorized to deal directly with the EXIDY service and parts departments.

Table of Contents

SECTION	<u>PAGE</u>
Illustrated Parts Breakdown	1
System Block Diagram	2
Adjustments Power Supply Adjustment Volume Adjustment Game Time Adjustment	3
Troubleshooting Tips	4
P.C. Board Connector Pinout	5
P.C. Board Logic Diagram Rock of N	Manual

Table of Contents

SECTION	PAGE
Illustrated Parts Breakdown	1
System Block Diagram	2
Adjustments Power Supply Adjustment Volume Adjustment Game Time Adjustment	3
Troubleshooting Tips	4
P.C. Board Connector Pinout	5
P.C. Board Logic Diagram	Manua 1



I. Adjustments

A. Power Supply Adjustment

Proper operation of this game is absolutely dependent on proper adjustment of the +5vdc power supply.

Before attempting to operate or troubleshoot this game, measure and adjust, as necessary, the $+5 \, \text{vdc}$ power supply voltage.

Measure voltage with meter leads contacting +5vdc and ground traces on P.C.B., near the 6 pin connector.

The power supply voltage is set at the factory, but shocks due to shipping and handling may cause this setting to vary.

B. Volume Adjustment

Sound volume is adjustable using the pot on the P.C.B. nearest the 22 pin connector.

C. Game Time Adjustment

Game time (length of game) is adjustable using the pot on the P.C.B. nearest the 6 pin connector.

Troubleshooting Tips

SYMPTOM	POSSIBLE CAUSE	SOLUTION _
	Blown fuse	Replace
Nothing happens .	Interlock switch not closing	check switch alignment
	Bad TV Monitor	Repair or replace
Game blows fuses	Bad power supply	Repair or replace
Game has sound but no picture	Bad P.C.B.	Repair or replace
	Bad TV Monitor	Repair or replace
	No +5vdc	Check output of power
		supply for +5vdc. If
		not present, replace
		power supply.
Game has picture but no sound	Bad P.C.B.	Repair or replace
	No +12vdc	Check power supply har-
		ness. Wire attached to
		cap should have +12vdc.
	Bad speaker	Replace
Game does not	Bad P.C.B.	Repair or replace
start with coin	Bad coin mechanism	Check microswitch and
		mechanism.
All controls com-	Bad P.C.B.	Repair or replace
pletely inoperative	Ground wire to control	Repair
	harness open (disconnected)	
	Bad P.C.B.	Repair or replace
Some controls	Bad leaf switches in	Replace (even if just
inoperative	control panel	bent). Once bent, switch
		is unreliable.
Game is erratic.	Ì	Adjust power supply.
Seems to work OK	Low +5vdc power	Measure voltage with test
sometimes, other		leads on P.C.B. (near 6
times not.		pin connector).
	Bad P.C.B.	Repair or replace
	Carpet	Solder 12" long 22 awg.
Game is static	Weather	insulated wire to pin
sensitive	Nearby devices generating	20 of J2 (P.C.B. 22 pin
	high voltages and/or	connector). Leave one
	high frequencies.	end hanging loose, taking
		care that wire is prop-
		erly insulated. If game
		shuts off too easily then,
		trim the wire shorter as
		necessary.

P.C. BOARD CONNECTOR PINOUT

```
1. } GND
3. } +5V
5. } GND
```

```
1. +12v (and one side of SPKR)
2. SPKR (direct)
3.
    GND
4.
5.
6.
    *SML....(ship move left)
7.
8.
    *SMR.....(ship move right)
    *SHP GR.....(ship gun right)
9.
10.
    *SHP GL....(ship gun left)
11.
    *SBF NO.....(ship button fire)
12.
     SBF NC.....(ship button fire)
    *PBF NO.....(plane button fire)
13.
14.
         NC.....(plane button fire)
    *PBF
15.
    *PLN
         SPD FST...(plane speed fast)
16.
    *PLN
         RCCW.....(plane rotate counter-clockwise)
17.
    *PLN RCW.....(plane rotate clockwise)
     COIN.....(coin drop)
18.
19.
     GND
20.
     ANT.....(anti-static antenna)
     VIDEO RETURN
21.
     TV VIDEO
22.
```