



FOUR PLAYER  
UPRIGHT

# THE SIMPSONS™

Service #

**708-215-5100**

Jerry Korbecki ext. 122

## INSTRUCTION MANUAL

THE SIMPSONS™ & © 1991 Twentieth Century Fox Film Corporation. All Rights Reserved.  
Licensed to Konami Industry Co., Ltd.

 **KONAMI**® is a trademark of Konami Industry Co., Ltd.


Part No. 072400

# SIMPSONS™ PARTS LIST

---

| <b>Part #</b> | <b>Description</b>      |
|---------------|-------------------------|
| 072010        | AC Harness              |
| 072011        | DC Harness              |
| 072003        | Simpsons PCB            |
| 072100        | Control Panel Overlay   |
| 072101        | Instruction Decal       |
| 072200        | Marquee                 |
| 072300        | Upper Right Side Decal  |
| 072301        | Upper Left Side Decal   |
| 072302        | Middle Right Side Decal |
| 072303        | Middle Left Side Decal  |
| 072304        | Lower Right Side Decal  |
| 072305        | Lower Left Side Decal   |
| 072400        | Manual                  |
| 30110         | Red Button              |
| 30112         | Blue Button             |
| 30113         | Orange Button           |
| 30119         | Green Button            |
| 30202         | Switch Holders          |
| 30250         | Palnuts                 |
| 30304         | Red Joy Stick           |
| 30305         | Blue Joy Stick          |
| 30306         | Green Joy Stick         |
| 30322         | Orange Joy Stick        |
| 35404         | Power Supply            |
| 40356         | Tempered Glass          |
| 40524         | Monitor                 |

# CONTROL PANEL ASSEMBLY



Three Screws and Lock Washers  
are provided Taped Inside Control  
Panel. Please Assemble as shown.



900 Deerfield Parkway, Buffalo Grove, IL 60089  
Phone (708) 215-5100 FAX 708-215-5122

## **THE SIMPSONS™ MANUAL AMENDMENT**

During power-up, if self-test indicates **12C BAD**:

- 1) Turn power off.
- 2) Press test switch located on coin vault 1.
- 3) Turn power back on with test switch depressed.

# SIMPSON™: WIRING HARNESS

| WIRE COLOR KEY: |             | Solder Side ← |    | → Parts Side |              |  |
|-----------------|-------------|---------------|----|--------------|--------------|--|
| BLACK           | GND         | A             | 1  | GND          | BLACK        |  |
| BLACK           | GND         | B             | 2  | GND          | BLACK        |  |
| RED             | +5V DC      | C             | 3  | +5V DC       | RED          |  |
| RED             | +5V DC      | D             | 4  | +5V DC       | RED          |  |
|                 | NOT USED    | E             | 5  | NOT USED     |              |  |
| ORANGE          | +12V DC     | F             | 6  | +12V DC      | ORANGE       |  |
|                 | *KEY        | H             | 7  | *KEY         |              |  |
|                 | (EMPTY)     | J             | 8  | COIN COUNTER | GREEN/VIOLET |  |
|                 | (EMPTY)     | K             | 9  | (EMPTY)      |              |  |
|                 | (EMPTY)     | L             | 10 | (EMPTY)      |              |  |
|                 | (EMPTY)     | M             | 11 | (EMPTY)      |              |  |
| WHITE/GREEN     | VIDEO GREEN | N             | 12 | VIDEO RED    | RED/WHITE    |  |
| WHITE           | VIDEO SYNC  | P             | 13 | VIDEO BLUE   | BLUE/WHITE   |  |
|                 | (EMPTY)     | R             | 14 | VIDEO GROUND | BLACK        |  |
|                 | (EMPTY)     | S             | 15 | TEST         | YELLOW       |  |
| VIOLET/WHITE    | COIN 2      | T             | 16 | COIN 1       | BLUE/BROWN   |  |
|                 | NOT USED    | U             | 17 | (EMPTY)      |              |  |
| BLUE/YELLOW     | 2P UP       | V             | 18 | 1P UP        | ORANGE/WHITE |  |
| VIOLET/YELLOW   | 2P DOWN     | W             | 19 | 1P DOWN      | BLACK/WHITE  |  |
| ORANGE/GREEN    | 2P LEFT     | X             | 20 | 1P LEFT      | RED/GRAY     |  |
| ORANGE/YELLOW   | 2P RIGHT    | Y             | 21 | 1P RIGHT     | GRAY/WHITE   |  |
| BLACK/YELLOW    | 2P ATTACK   | Z             | 22 | 1P ATTACK    | RED/WHITE    |  |
| ORANGE/GRAY     | 2P JUMP     | a             | 23 | 1P JUMP      | GREEN/BROWN  |  |
|                 | NOT USED    | b             | 24 | NOT USED     |              |  |
|                 | NOT USED    | c             | 25 | NOT USED     |              |  |
|                 | NOT USED    | d             | 26 | NOT USED     |              |  |
| BLACK           | GND         | e             | 27 | GND          | BLACK        |  |
| BLACK           | GND         | f             | 28 | GND          | BLACK        |  |

(BASE COLOR/LINE COLOR)


# SIMPSON™: SUB HARNESS FOR 3 PLAYERS & 4 PLAYERS

**CN3  
3P  
CONTROLS**

|    |           |              |
|----|-----------|--------------|
| 1  | Coin 3    | White/Violet |
| 2  | Empty     |              |
| 3  | 3P Left   | White/Red    |
| 4  | 3P Right  | White/Yellow |
| 5  | 3P Up     | White/Black  |
| 6  | 3P Down   | White/Blue   |
| 7  | 3P Attack | White/Brown  |
| 8  | 3P Jump   | White/Orange |
| 9  | Empty     |              |
| 10 | Empty     |              |
| 11 | Empty     |              |
| 12 | Empty     |              |
| 13 | Empty     |              |
| 14 | Empty     |              |
| 15 | Ground    | Black        |

**CN4  
4P  
CONTROLS**


|    |           |              |
|----|-----------|--------------|
| 1  | Coin 4    | Blue         |
| 2  | Empty     |              |
| 3  | 4P Left   | Yellow/Black |
| 4  | 4P Right  | Brown/Black  |
| 5  | 4P Up     | Green/Yellow |
| 6  | 4P Down   | Yellow/Red   |
| 7  | 4P Attack | Yellow/White |
| 8  | 4P Jump   | Yellow/Blue  |
| 9  | Empty     |              |
| 10 | Empty     |              |
| 11 | Empty     |              |
| 12 | Empty     |              |
| 13 | Empty     |              |
| 14 | Empty     |              |
| 15 | Ground    | Black        |



- NOTES -

- 1 1P:NO.1 PLAYER      2P:NO.2 PLAYER  
    3P:NO.3 PLAYER     4P:NO.4 PLAYER
- 2 SURGE KILLER DIODES FOR COIN  
    COUNTER INSTALLED ON THE P.C.B.

# DIAGRAM





# SIMPSONS™ GAME SET UP

The Simpsons™ PCB doesn't utilize dip switches. Game set up is held in memory. To change factory settings press the test switch button (located on PCB and/or coin door 1).

## — — — MANUAL TEST MENU — — —

- ➔ 1 ROM Check Test (self test of program)
- 2 Screen Test (cross hatch)
- 3 Color Test (monitor set up)
- 4 I/O Test (test all joysticks & buttons)
- 5 Music Test
- 6 Sound Test
- 7 Start Button (set/without Start Button)
- 8 Coin Game Options (see below)

Move arrow with joystick one to desired test. Initiate test by pressing attack button of player one.

### 8. COIN GAME OPTIONS

Following screen will appear. Use JOYSTICK to select the option to modify and press ATTACK button. After modification is completed in the sub-screen, select EXIT to save and return to this screen.

|                            |
|----------------------------|
| 8. COIN, GAME OPTIONS      |
| 8-1. COIN SETTING          |
| STARTING 2 COIN 1 CREDIT   |
| CONTINUE 1 COIN 1 CREDIT   |
| 8-2. NUMBER OF PLAYERS     |
| 2 PLAYERS                  |
| 8-3. DIFFICULTY            |
| NORMAL                     |
| 8-4. SOUND IN ATTRACT MODE |
| ON                         |
| 8-5. VIDEO SCREEN FLIP     |
| NORMAL                     |
| 8-6. SOUND OUTPUT          |
| STEREO                     |
| 8-7. FACTORY SETTINGS      |
| EXIT                       |

### 8-1. COIN SETTING

Selecting this item, the screen shows following options.

| PREMIUM START SETTING |         |
|-----------------------|---------|
| <input type="radio"/> | OFF     |
|                       | ON      |
|                       | EXIT    |
| COINS                 | CREDITS |
| 1                     | 1       |
| 1                     | 2       |
| 1                     | 3       |
| 1                     | 4       |
| 1                     | 5       |
| 1                     | 6       |
| 2                     | 1       |
| 2                     | 3       |
| 2                     | 5       |
| 3                     | 1       |
| 3                     | 2       |
| 3                     | 4       |
| 4                     | 1       |
| 4                     | 3       |
| 4                     | 5       |

① When "PREMIUM START OFF" is selected, the number of coins necessary for starting and for continuation will be the same. Select "EXIT" and return to the original screen. (In other words, if you want 50¢ start 25¢, continue premium start must be on.)

# SIMPSONS™ GAME SET UP (Cont.)

② When "PREMIUM START ON" is selected, choose the number of extra coins for premium start, then decide the coin setting for continuation. The number of coins for starting will be the sum of both numbers.

| PREMIUM START SETTING                            |                            |         |
|--|----------------------------|---------|
|  | <input type="radio"/> OFF  |         |
|  | <input type="radio"/> ON   |         |
|  | <input type="radio"/> EXIT |         |
| NUMBER OF<br>EXTRA COINS<br>FOR<br>PREMIUM START | COINS                      | CREDITS |
| <input type="radio"/> 1                          | 1                          | 1       |
| <input type="radio"/> 2                          | 1                          | 2       |
| <input type="radio"/> 3                          | 1                          | 3       |
| <input type="radio"/> 4                          | 1                          | 4       |
| <input type="radio"/> 5                          | 1                          | 5       |
|  | 2                          | 1       |
|  | 2                          | 3       |
|  | 2                          | 5       |
|  | 3                          | 1       |
|  | 3                          | 2       |
|  | 3                          | 4       |
|  | 4                          | 1       |
|  | 4                          | 3       |
|  | 4                          | 5       |

This is set for 50¢. Start 25¢ continue. \*Note premium start must be on.

## 8-2. NUMBER OF PLAYERS

- . 1 PLAYER
- . 2 PLAYERS
- . 3 PLAYERS
- . 4 PLAYERS
- . 5 PLAYERS
- . 6 PLAYERS
- . 7 PLAYERS
- .EXIT

## 8-3. DIFFICULTY

- . EASY
- . NORMAL
- . DIFFICULT
- . VERY DIFFICULT
- .EXIT

## 8-4. SOUND IN ATTRACT MODE

- . OFF
- . ON
- .EXIT

## 8-5. VIDEO SCREEN FLIP

- . NORMAL
- . UPSIDE DOWN
- .EXIT

## 8-6. SOUND OUTPUT

- . MONAURAL
- . STEREO
- .EXIT


\*  shows recommended settings.


## 8-7. FACTORY SETTING

All the settings returns to default by selecting "FACTORY SETTING."






# AC WIRING HARNESS






**PROPRIETARY AND CONFIDENTIAL:**  
 REPRODUCTION FORBIDDEN WITHOUT THE SPECIFIC WRITTEN PERMISSION OF KONAMI INDUSTRY CO., LTD. 7-3-2, MINATOJIMA-NAKAMACHI, CHUO-KU, KOBE 650, JAPAN. THIS DRAWING IS ONLY CONDITIONALLY ISSUED. NEITHER RECEIPT NOR POSSESSION OF THIS DRAWING OR ANY OPERATING MANUAL RELATING TO KONAMI'S GAMES OR PRODUCTS CONTAINING THIS DRAWING CONFERS OR TRANSFERS ANY RIGHT IN OR LICENSE TO USE THE PRINTED CIRCUIT BOARDS RELATING TO THIS DRAWING OR OTHER SUBJECT MATTER OF THE DRAWING OR ANY DESIGN OR TECHNICAL INFORMATION SHOWN THEREON. EXCEPT FOR MANUFACTURE BY VENDORS OF KONAMI INDUSTRY CO., LTD. AND FOR MANUFACTURE UNDER KONAMI'S WRITTEN LICENSE, NO RIGHT IS GRANTED TO REPRODUCE, MAKE, HAVE MADE, USE OR SELL THIS DRAWING OR THE SUBJECT MATTER THEREOF INCLUDING, WITHOUT LIMITATION, THE PRINTED CIRCUIT BOARD OR OPERATING MANUAL RELATING THEREON, WHATSOEVER, UNLESS BY WRITTEN AGREEMENT WITH OR WRITTEN PERMISSION FROM KONAMI. COPYRIGHT 1991 KONAMI INDUSTRY CO., LTD. ALL RIGHTS RESERVED.







| DRAWING | DESIGN    | H. MATSUURA        | TITLE          | GX072            |
|---------|-----------|--------------------|----------------|------------------|
|         | DRAW      | H. MATSUURA        | SUBTITLE       | CPU              |
|         | CHECK     | <i>K. Hashima</i>  | PAGE           |                  |
|         | APPROVE   | <i>H. Matsuura</i> | CODE NO        | 352362           |
|         | SCALE     |                    | REG. TYPE      | GX072 PWB352345B |
|         | TOLERANCE |                    | SECURITY LEVEL | CONFIDENTIAL     |
|         | DATE      | 91. 3. 4           |                |                  |



**PROPRIETARY AND CONFIDENTIAL:**

REPRODUCTION FORBIDDEN WITHOUT THE SPECIFIC WRITTEN PERMISSION OF KONAMI INDUSTRY CO.,LTD.,7-3-2, MINATOJIMA-NAKAMACHI, CHUO-KU, KOBE 650, JAPAN. THIS DRAWING IS ONLY CONDITIONALLY ISSUED. NEITHER RECEIPT NOR POSSESSION OF THIS DRAWING OR ANY OPERATING MANUAL RELATING TO KONAMI'S GAMES OR PRODUCTS CONTAINING THIS DRAWING CONFERS OR TRANSFERS ANY RIGHT IN OR LICENSE TO USE THE PRINTED CIRCUIT BOARDS RELATING TO THIS DRAWING OR OTHER SUBJECT MATTER OF THE DRAWING OR ANY DESIGN OR TECHNICAL INFORMATION SHOWN THEREON, EXCEPT FOR MANUFACTURE BY VENDORS OF KONAMI INDUSTRY CO.,LTD. AND FOR MANUFACTURE UNDER KONAMI'S WRITTEN LICENSE. NO RIGHT IS GRANTED TO REPRODUCE, MAKE, HAVE MADE, USE OR SELL THIS DRAWING OR THE SUBJECT MATTER THEREOF INCLUDING, WITHOUT LIMITATION, THE PRINTED CIRCUIT BOARD OR OPERATING MANUAL RELATING THERETO, WHATSOEVER, UNLESS BY WRITTEN AGREEMENT WITH OR WRITTEN PERMISSION FROM KONAMI. COPYRIGHT 1991 KONAMI INDUSTRY CO.,LTD. ALL RIGHTS RESERVED.





88 CN1  
JAMMA

88 CN6  
B15P-SHF-1AA

88 CN7  
B15P-SHF-1AA

2. OTHER PRODUCTS OF BOARDS INFORMATION ARE UNDER DRAWING DATING MANUAL ETC.




KONAMI INDUSTRY CO., LTD.


DRAWING



|           |                    |                         |                  |
|-----------|--------------------|-------------------------|------------------|
| DESIGN    | H. MATSUURA        | TITLE                   | GX072            |
| DRAW      | H. MATSUURA        | <del>CONFIDENTIAL</del> | I/0              |
| CHECK     | K. MATSUDA         | PAGE                    |                  |
| APPROVE   | <i>[Signature]</i> | CODE NO.                | 352762           |
| SCALE     |                    | REG. TYPE               | GX072 PWB352346B |
| TOLERANCE |                    | SECURITY LEVEL          | CONFIDENTIAL     |
| DATE      | 91. 3. 4           |                         |                  |






**PROPRIETARY AND CONFIDENTIAL:**  
 REPRODUCTION FORBIDDEN WITHOUT THE SPECIFIC WRITTEN PERMISSION OF KONAMI INDUSTRY CO., LTD., 7-3-2, MINATOJIMA-NAKAMACHI, CHUO-KU, KOBE 650, JAPAN. THIS DRAWING IS ONLY CONDITIONALLY ISSUED. NEITHER RECEIPT NOR POSSESSION OF THIS DRAWING OR ANY OPERATING MANUAL RELATING TO KONAMI'S GAMES OR PRODUCTS CONTAINING THIS DRAWING CONFERS OR TRANSFERS ANY RIGHT IN OR LICENSE TO USE THE PRINTED CIRCUIT BOARDS RELATING TO THIS DRAWING OR OTHER SUBJECT MATTER OF THE DRAWING OR ANY DESIGN OR TECHNICAL INFORMATION SHOWN THEREON. EXCEPT FOR MANUFACTURE BY VENDORS OF KONAMI INDUSTRY CO., LTD. AND FOR MANUFACTURE UNDER KONAMI'S WRITTEN LICENSE, NO RIGHT IS GRANTED TO REPRODUCE, MAKE, HAVE MADE, USE OR SELL THIS DRAWING OR THE SUBJECT MATTER THEREOF INCLUDING, WITHOUT LIMITATION, THE PRINTED CIRCUIT BOARD OR OPERATING MANUAL RELATING THEREOF, WHATSOEVER, UNLESS BY WRITTEN AGREEMENT WITH OR WRITTEN PERMISSION FROM KONAMI. COPYRIGHT 1991 KONAMI INDUSTRY CO., LTD. ALL RIGHTS RESERVED.






|         |           |                   |                |                  |
|---------|-----------|-------------------|----------------|------------------|
| DRAWING | DESIGN    | H. MATSUURA       | TITLE          | GX072            |
|         | DRAW      | H. MATSUURA       | SUBTITLE       | COLOR            |
|         | CHECK     | <i>K. Hashima</i> | PAGE           | Confidential     |
|         | APPROVE   | <i>R. Ueno</i>    | CODE NO.       | 552762           |
|         | SCALE     |                   | REG. TYPE      | GX072 PWB352346B |
|         | TOLERANCE |                   | SECURITY LEVEL | CONFIDENTIAL     |
|         | DATE      | 91. 3. 4          |                |                  |






88 CN2  
DIN64SS

88 CN3  
B4P-SHF-1AA


**PROPRIETARY AND CONFIDENTIAL:**  
 REPRODUCTION FORBIDDEN WITHOUT THE SPECIFIC WRITTEN PERMISSION OF KONAMI INDUSTRY CO., LTD., 7-3-2, MINATOJIMA-NAKAMACHI, CHUO-KU, KBE 650, JAPAN. THIS DRAWING IS ONLY CONDITIONALLY ISSUED. NEITHER RECEIPT NOR POSSESSION OF THIS DRAWING OR ANY OPERATING MANUAL RELATING TO KONAMI'S GAMES OR PRODUCTS CONTAINING THIS DRAWING CONFERS OR TRANSFERS ANY RIGHT IN OR LICENSE TO USE THE PRINTED CIRCUIT BOARDS RELATING TO THIS DRAWING OR OTHER SUBJECT MATTER OF THE DRAWING OR ANY DESIGN OR TECHNICAL INFORMATION SHOWN THEREON, EXCEPT FOR MANUFACTURE BY VENDORS OF KONAMI INDUSTRY CO., LTD. AND FOR MANUFACTURE UNDER KONAMI'S WRITTEN LICENSE. NO RIGHT IS GRANTED TO REPRODUCE, MAKE, HAVE MADE, USE OR SELL THIS DRAWING OR THE SUBJECT MATTER THEREOF INCLUDING, WITHOUT LIMITATION, THE PRINTED CIRCUIT BOARD OR OPERATING MANUAL RELATING THERETO, WHATSOEVER, UNLESS BY WRITTEN AGREEMENT WITH OR WRITTEN PERMISSION FROM KONAMI. COPYRIGHT 1991 KONAMI INDUSTRY CO., LTD. ALL RIGHTS RESERVED.






**KONAMI**  
 KONAMI INDUSTRY CO., LTD.

| DRAWING |  | DESIGN    | H. MATSUURA        | TITLE          | GX072            |
|---------|--|-----------|--------------------|----------------|------------------|
|         |  | DRAW      | H. MATSUURA        | SUBTITLE       | SCHEM            |
|         |  | CHECK     | K. Hashima         | PAGE           |                  |
|         |  | APPROVE   | <i>[Signature]</i> | CODE NO.       | 352762           |
|         |  | SCALE     |                    | REG. TYPE      | GX072 PWB352346B |
|         |  | TOLERANCE |                    | SECURITY LEVEL | CONFIDENTIAL     |
|         |  | DATE      | 91. 3. 4.          |                |                  |




**PROPRIETARY AND CONFIDENTIAL:**











REPRODUCTION FORBIDDEN WITHOUT THE SPECIFIC WRITTEN PERMISSION OF KONAMI INDUSTRY CO.,LTD.,7-3-2, MINATOJIMA-NAKAMACHI, CHUO-KU, KOBE 650, JAPAN. THIS DRAWING IS ONLY CONDITIONALLY ISSUED. NEITHER RECEIPT NOR POSSESSION OF THIS DRAWING OR ANY OPERATING MANUAL RELATING TO KONAMI'S GAMES OR PRODUCTS CONTAINING THIS DRAWING CONFERS OR TRANSFERS ANY RIGHT IN OR LICENSE TO USE THE PRINTED CIRCUIT BOARDS RELATING TO THIS DRAWING OR OTHER SUBJECT MATTER OF THE DRAWING OR ANY DESIGN OR TECHNICAL INFORMATION SHOWN THEREON, EXCEPT FOR MANUFACTURE BY VENDORS OF KONAMI INDUSTRY CO.,LTD. AND FOR MANUFACTURE UNDER KONAMI'S WRITTEN LICENSE. NO RIGHT IS GRANTED TO REPRODUCE, MAKE, HAVE MADE, USE OR SELL THIS DRAWING OR THE SUBJECT MATTER THEREOF INCLUDING, WITHOUT LIMITATION, THE PRINTED CIRCUIT BOARD OR OPERATING MANUAL RELATING THERETO, WHATSOEVER, UNLESS BY WRITTEN AGREEMENT WITH OR WRITTEN PERMISSION FROM KONAMI. COPYRIGHT 1991 KONAMI INDUSTRY CO.,LTD. ALL RIGHTS RESERVED.



KONAMI INDUSTRY CO.,LTD.




----- NOTES -----

-  +5 VCC(+5V)
-  +12 VCC(+12V)
-  GND
-  JAMMA EDGE 56P
-  64P DIN CONNECTOR
-  4P NH CONNECTOR
-  64P DIN CONNECTOR
-  64P DIN CONNECTOR
-  15P NH CONNECTOR
-  15P NH CONNECTOR

KINDS OF CAPACITOR

- C : CERAMIC
- E : ELECTROLYTIC
- M : MYLAR
- T : TANTALUM

|  |         |           |                    |                |                  |
|--|---------|-----------|--------------------|----------------|------------------|
| <br>KONAMI INDUSTRY CO.,LTD. | DRAW'NG | DESIGN    | H. MATSUURA        | TITLE          | GX072            |
|  |         | DRAW      | H. MATSUURA        | SECRET         |                  |
|  |         | CHECK     | K. Hashino         | PAGE           |                  |
|  |         | APPROVE   | <i>[Signature]</i> | CODE NO.       | 352762           |
|  |         | SCALE     |                    | REG. TYPE      | GX072 PWB352346B |
|  |         | TOLERANCE |                    | SECURITY LEVEL | CONFIDENTIAL     |
|  |         | DATE      |                    |                |                  |

91. 3. 4.